

IN THE CLAIMS:

Kindly replace the claims of record with the following full set of claims:

1. (Currently amended) A WebDVD player, comprising:
a local database including at least a plurality of universal resource locators (URLs) associated with corresponding ones of a plurality of websites associated with corresponding ones of a plurality of content providers, a plurality of expected title identifications associated with corresponding ones of said plurality of content providers and a list of methods for deriving a title identification, said methods consisting of at least one of a read operation and an algorithmic operation;
means for deriving a title identification (TitleJD) of a legacy DVD disc, the TitleJD being a unique identifier of a title of the legacy DVD disc, wherein the TitleJD is derived in accordance with one of said methods specified in the database; and
means for linking the disc to a related web site based on the derived TitleJD.
2. (Cancelled).
3. (Currently amended) The player of claim [[2]] 1, further comprising means for determining whether the derived TitleJD matches an expected title identification value indicated in the database that is associated with the specified method.
4. (Currently amended) The player of claim [[2]] 1, further comprising means for retrieving a universal resource locator (URL) in the database that is associated with the expected title identification value if the derived TitleJD matches the expected title identification value.
5. (Currently amended) The player of claim [[2]] 1, wherein said method of deriving the TitleJD comprises reading is derived by retrieving a unique identifier from a pre-selected location of the disc.

6. (Original) The player of claim 5, wherein the pre-selected location is a burst cutting area (BCA).

7. (Original) The player of claim 5, wherein the pre-selected location is a private data sector.

8. (Currently amended) The player of claim 1, wherein said method of deriving the TitleJD comprises reading [[is]] a Volume Volum Set ID in a Universal Disc Format (UDF) file system of the disc.

9. (Currently amended) The player of claim [[2]] 1, wherein said method of deriving the TitleJD comprises reading is derived based on selected data available on the disc.

10. (Original) The player of claim 1, further comprising:

means for retrieving a provider unique identification (PVRJD) from the disc; wherein the TitleJD is derived based on the retrieved PVRJD of the disc.

11. (Currently amended) The player of claim 10, further comprising:

~~means for storing a database containing a list of universal resource locators (URLs) for linking to web sites of pre-selected content providers, and a table of expected TitleJDs associated with the individual URLs;~~

means for determining whether the retrieved PVRJD matches a corresponding URL in the list; and

means for searching through the title identifications TitleJDs in the table that are associated with the corresponding URL for finding a matching TitleJD.

12. (Cancelled)

13. (Currently amended) The player of claim 12, wherein if the derived TitleJD fails to match any expected title identification TitleJD in the table, the linking means links the

disc to a general web site of a content provider using the corresponding URL.

14. (Currently amended) The player of claim 12, further comprising:

- means for accessing a source web site, if the derived TitleJD does not match any expected title identification TitleJD in the table, the source web site containing a database which includes a list of universal resource locator (URL) links to related web sites and their associated PVRJDs and TitleJDs;
- means for searching a corresponding URL in the source web site database based on the retrieved PVRJD and derived TitleJD; and
- means for linking the disc to a related web site using the corresponding matching URL.

15. -20 (Cancelled)

21. (Currently amended) A method for linking a legacy DVD disc to a related web site, the method comprising the steps of:

populating a local database to include at least a plurality of universal resource locators (URLs) associated with corresponding ones of a plurality of websites associated with corresponding ones of a plurality of content providers, a plurality of expected title identifications associated with corresponding ones of said plurality of content providers and a list of methods for deriving a title identification, said methods consisting of at least one of a read operation and an algorithmic operation;

deriving a title identification (TitleJD) of the disc, the TitleJD being a unique identifier of a title of the disc, wherein the TitleJD is derived in accordance with one of said methods specified in the database; and

linking the disc to a related web site based on the derived TitleJD.

22. (Cancelled) .

23. (Currently amended) The method of claim [[22]] 21, further comprising the step

of determining whether the derived TitleJD matches an expected title identification value indicated in the database that is associated with the specified method.

24. (Currently amended) The method of claim [[22]] 21, further comprising the step of retrieving a universal resource locator (URL) in the database that is associated with the expected title identification value if the derived TitleJD matches the expected title identification value.

25. (Currently amended) The method of claim [[22]] 21, wherein said method of deriving the TitleJD comprises reading is derived by retrieving a unique identifier from a pre-selected location of the disc.

26. (Original) The method of claim 25, wherein the pre-selected location is a burst cutting area (BCA).

27. (Original) The method of claim 25, wherein the pre-selected location is a private data sector.

28. (Currently amended) The method of claim 21, wherein said method of deriving the TitleJD comprises reading [[is]] a Volume ~~Volume~~ Set ID in a Universal Disc File (UDF) file system of the disc.

29. (Currently amended) The method of claim 21, wherein said method of deriving the TitleJD comprises reading is derived based on selected data available on the disc.

30. (Original) The method of claim 29, further comprising the steps of:
retrieving a provider unique identification (PVRJD) from the disc;
wherein the TitleJD is derived based on the retrieved PVRJD of the disc.

31. (Currently amended) The method of claim 30, further comprising the steps of:

~~pre-storing a database containing a list of universal resource locators (URLs) for linking to web sites of pre-selected content providers, and a table of expected TitleJDs associated with the individual URLs;~~

determining whether the retrieved PVRJD matches a corresponding URL in the list; and

searching through the TitleJDs in the table that are associated with the corresponding URL for finding a matching TitleJD.

32. (Cancelled)

33. (Currently amended) The method of claim 32, further comprising the steps of: accessing a source web site, if the derived TitleJD does not match any expected title identification TitleJD in the table, the source web site containing a database which includes a list of universal resource locator (URL) links to related web sites and their associated PVRJDs and TitleJDs;

searching a corresponding URL in the database based on the retrieved PVRJD and derived TitleJD; and

linking the disc to a related web site using the corresponding matching URL.

34. -37. (Cancelled)

38. (Original) The player of claim 14, further comprising means for periodically updating the database and the table stored by the storing means with information from the source web site.

39. (Original) The player of claim 14, further comprising means for caching an address of a website address each time the web site is accessed.

40. (Original) The player of claim 14, further comprising means for allowing a user to manually update the database and the table stored by the storing means with new

information.